



**ES SERIES MAGNETO AND IGNITION HARNESS  
APPLICATION BY ENGINE MODEL**

**CONTINENTAL 6 Cylinder**

	ENGINE MODEL	NOTES	LEFT	RIGHT	SPARK PLUG SIZE	COMPLETE	
			MAGNETO Part Number (Type Number)	MAGNETO Part Number (Type Number)		HARNESS Left* & Right* + Hardware Kit	
C O N T I N E N T A L  6	A100-1		ES-500516-4 (S6LP-21)	ES-500516-4 (S6LP-21)	5/8-24	KA12130	
	A100-2		ES-500516-4 (S6LP-21)	ES-500516-4 (S6LP-21)	5/8-24	KA12130	
	C-125-2		ES6364	ES6364	5/8-24	KA12932	
	C-125-2		ES-500516-4 (S6LP-21)	ES-500516-4 (S6LP-21)	5/8-24	KA12130	
	C-145-2		ES6364	ES6364	5/8-24	KA12932	
	C-145-2		ES-500516-4 (S6LP-21)	ES-500516-4 (S6LP-21)	5/8-24	KA12130	
	C-145-2H		ES6364	ES6364	5/8-24	KA12932	
	C-145-2H		ES-500516-4 (S6LP-21)	ES-500516-4 (S6LP-21)	5/8-24	KA12130	
	C-145-2HP		ES6364	ES6364	5/8-24	KA12932	
	C-145-2HP		ES-500516-4 (S6LP-21)	ES-500516-4 (S6LP-21)	5/8-24	KA12130	
	C Y L	E-165-2	Rubber Bushing Drive	ES-500516-3 (S6LP-21)	ES-500516-3 (S6LP-21)	5/8-24	KA12176
		E-165-2	Disc Drive	ES-500516-10 (S6LP-21)	ES-500516-10 (S6LP-21)	5/8-24	KA12176
E-165-3		Rubber Bushing Drive	ES-500516-3 (S6LP-21)	ES-500516-3 (S6LP-21)	5/8-24	KA12176	
E-165-3		Disc Drive	ES-500516-10 (S6LP-21)	ES-500516-10 (S6LP-21)	5/8-24	KA12176	

\*Half Harnesses: KA1xxxxL = Left KA1xxxxR = Right

Color Harness: KA1xxxx = Red KA1xxxxB = Black KA1xxxxF = Yellow.

Blue harnesses (KA1XXXXD) are available exclusively through Aircraft Spruce & Specialty

**ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL**

**CONTINENTAL 6 CYLINDER**

	<b>ENGINE MODEL</b>	<b>NOTES</b>	<b>LEFT</b>	<b>RIGHT</b>	<b>SPARK PLUG SIZE</b>	<b>COMPLETE</b>
			<b>MAGNETO Part Number (Type Number)</b>	<b>MAGNETO Part Number (Type Number)</b>		<b>HARNESS</b> Left* & Right* + Hardware Kit
<b>C O N T I N E N T A L  6  C Y L</b>	E-165-4	Rubber Bushing Drive	<b>ES-500516-3</b> (S6LP-21)	<b>ES-500516-3</b> (S6LP-21)	5/8-24	<b>KA12176</b>
	E-165-4	Disc Drive	<b>ES-500516-10</b> (S6LP-21)	<b>ES-500516-10</b> (S6LP-21)	5/8-24	<b>KA12176</b>
	E-185-1	Rubber Bushing Drive	<b>ES-500516-3</b> (S6LP-21)	<b>ES-500516-3</b> (S6LP-21)	5/8-24	<b>KA12176</b>
	E-185-1	Disc Drive	<b>ES-500516-10</b> (S6LP-21)	<b>ES-500516-10</b> (S6LP-21)	5/8-24	<b>KA12176</b>
	E-185-2	Rubber Bushing Drive	<b>ES-500516-3</b> (S6LP-21)	<b>ES-500516-3</b> (S6LP-21)	5/8-24	<b>KA12176</b>
	E-185-2	Disc Drive	<b>ES-500516-10</b> (S6LP-21)	<b>ES-500516-10</b> (S6LP-21)	5/8-24	<b>KA12176</b>
	E-185-3	Rubber Bushing Drive	<b>ES-500516-3</b> (S6LP-21)	<b>ES-500516-3</b> (S6LP-21)	5/8-24	<b>KA12176</b>
	E-185-3	Disc Drive	<b>ES-500516-10</b> (S6LP-21)	<b>ES-500516-10</b> (S6LP-21)	5/8-24	<b>KA12176</b>
	E-185-5	Rubber Bushing Drive	<b>ES-500516-3</b> (S6LP-21)	<b>ES-500516-3</b> (S6LP-21)	5/8-24	<b>KA12176</b>
	E-185-5	Disc Drive	<b>ES-500516-10</b> (S6LP-21)	<b>ES-500516-10</b> (S6LP-21)	5/8-24	<b>KA12176</b>
	E-185-8	Rubber Bushing Drive	<b>ES-500516-3</b> (S6LP-21)	<b>ES-500516-3</b> (S6LP-21)	5/8-24	<b>KA12176</b>
	E-185-8	Disc Drive	<b>ES-500516-10</b> (S6LP-21)	<b>ES-500516-10</b> (S6LP-21)	5/8-24	<b>KA12176</b>
	E-185-9	Rubber Bushing Drive	<b>ES-500516-3</b> (S6LP-21)	<b>ES-500516-3</b> (S6LP-21)	5/8-24	<b>KA12176</b>
	E-185-9	Disc Drive	<b>ES-500516-10</b> (S6LP-21)	<b>ES-500516-10</b> (S6LP-21)	5/8-24	<b>KA12176</b>
	E-185-10	Rubber Bushing Drive	<b>ES-500516-3</b> (S6LP-21)	<b>ES-500516-3</b> (S6LP-21)	5/8-24	<b>KA12176</b>
	E-185-10	Disc Drive	<b>ES-500516-10</b> (S6LP-21)	<b>ES-500516-10</b> (S6LP-21)	5/8-24	<b>KA12176</b>

**ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL**

**CONTINENTAL 6 CYLINDER**

<b>ENGINE MODEL</b>	<b>NOTES</b>	<b>LEFT</b>	<b>RIGHT</b>	<b>SPARK PLUG SIZE</b>	<b>COMPLETE</b>
		<b>MAGNETO Part Number (Type Number)</b>	<b>MAGNETO Part Number (Type Number)</b>		<b>HARNESS</b> Left* & Right* + Hardware Kit
E-185-11	Rubber Bushing Drive	ES-500516-3 (S6LP-21)	ES-500516-3 (S6LP-21)	5/8-24	KA12176
E-185-11	Disc Drive	ES-500516-10 (S6LP-21)	ES-500516-10 (S6LP-21)	5/8-24	KA12176
E-225-2	Rubber Bushing Drive	ES-500516-3 (S6LP-21)	ES-500516-3 (S6LP-21)	5/8-24	KA12176
E-225-2	Disc Drive	ES-500516-10 (S6LP-21)	ES-500516-10 (S6LP-21)	5/8-24	KA12176
E-225-4	Rubber Bushing Drive	ES-500516-3 (S6LP-21)	ES-500516-3 (S6LP-21)	5/8-24	KA12176
E-225-4	Disc Drive	ES-500516-10 (S6LP-21)	ES-500516-10 (S6LP-21)	5/8-24	KA12176
E-225-8	Rubber Bushing Drive	ES-500516-3 (S6LP-21)	ES-500516-3 (S6LP-21)	5/8-24	KA12176
E-225-8	Disc Drive	ES-500516-10 (S6LP-21)	ES-500516-10 (S6LP-21)	5/8-24	KA12176
E-225-9	Rubber Bushing Drive	ES-500516-3 (S6LP-21)	ES-500516-3 (S6LP-21)	5/8-24	KA12176
E-225-9	Disc Drive	ES-500516-10 (S6LP-21)	ES-500516-10 (S6LP-21)	5/8-24	KA12176
GO-300-A		ES6367	ES6367	5/8-24	KA12938
GO-300-A		ES-500516-6 (S6RP-21)	ES-500516-6 (S6RP-21)	5/8-24	X
GO-300-B		ES6367	ES6367	5/8-24	KA12938
GO-300-B		ES-500516-6 (S6RP-21)	ES-500516-6 (S6RP-21)	5/8-24	X
GO-300-C		ES6367	ES6367	5/8-24	KA12938
GO-300-C		ES-500516-6 (S6RP-21)	ES-500516-6 (S6RP-21)	5/8-24	X

**C  
O  
N  
T  
I  
N  
E  
N  
T  
A  
L  
  
6  
  
C  
Y  
L**

**C  
O  
N  
T  
I  
N  
E  
N  
T  
A  
L  
  
6  
  
C  
Y  
L**

**ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL**

**CONTINENTAL 6 CYLINDER**

<b>ENGINE MODEL</b>	<b>NOTES</b>	<b>LEFT MAGNETO Part Number (Type Number)</b>	<b>RIGHT MAGNETO Part Number (Type Number)</b>	<b>SPARK PLUG SIZE</b>	<b>COMPLETE HARNESS Left* &amp; Right* + Hardware Kit</b>
GO-300-D		ES6367	ES6367	5/8-24	KA12938
GO-300-D		ES-500516-6 (S6RP-21)	ES-500516-6 (S6RP-21)	5/8-24	X
GO-300-E		ES6367	ES6367	5/8-24	KA12938
GO-300-E		ES-500516-6 (S6RP-21)	ES-500516-6 (S6RP-21)	5/8-24	X
O-300-A		ES6364	ES6364	5/8-24	KA12932
O-300-A		ES-500516-4 (S6LP-21)	ES-500516-4 (S6LP-21)	5/8-24	KA12130
O-300-B		ES6364	ES6364	5/8-24	KA12932
O-300-B		ES-500516-4 (S6LP-21)	ES-500516-4 (S6LP-21)	5/8-24	KA12130
O-300-C		ES6364	ES6364	5/8-24	KA12932
O-300-C		ES-500516-4 (S6LP-21)	ES-500516-4 (S6LP-21)	5/8-24	KA12130
O-300-D		ES6364	ES6364	5/8-24	KA12932
O-300-D		ES-500516-4 (S6LP-21)	ES-500516-4 (S6LP-21)	5/8-24	KA12130
O-300-E		ES6364	ES6364	5/8-24	KA12932
O-300-E		ES-500516-4 (S6LP-21)	ES-500516-4 (S6LP-21)	5/8-24	KA12130
RR O-300-A		ES-500516-4 (S6LP-21)	ES-500516-4 (S6LP-21)	5/8-24	KA12130
RR O-300-B		ES-500516-4 (S6LP-21)	ES-500516-4 (S6LP-21)	5/8-24	KA12130
RR O-300-C		ES-500516-4 (S6LP-21)	ES-500516-4 (S6LP-21)	5/8-24	KA12130

**C  
O  
N  
T  
I  
N  
E  
N  
T  
A  
L  
  
6  
  
C  
Y  
L**

**C  
O  
N  
T  
I  
N  
E  
N  
T  
A  
L  
  
6  
  
C  
Y  
L**

**ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL**

**CONTINENTAL 6 CYLINDER**

	ENGINE MODEL	NOTES	LEFT	RIGHT	SPARK PLUG SIZE	COMPLETE
			MAGNETO Part Number (Type Number)	MAGNETO Part Number (Type Number)		HARNESS Left* & Right* + Hardware Kit
<b>C O N T I N E N T A L  6  C Y L</b>	RR O-300-D		ES-500516-4 (S6LP-21)	ES-500516-4 (S6LP-21)	5/8-24	KA12130
	IO-360-A		ES6314	ES6314	3/4-20	KA12778
	IO-360-A		ES-500556-3 (S6LP-25)	ES-500556-3 (S6LP-25)	3/4-20	KA12015
	IO-360-AB		ES-500556-3 (S6LP-25)	ES-500556-3 (S6LP-25)	3/4-20	X
	IO-360-AF		ES-500556-3 (S6LP-25)	ES-500556-3 (S6LP-25)	5/8-24	X
	IO-360-B		ES6314	ES6314	3/4-20	KA12778
	IO-360-B		ES-500556-3 (S6LP-25)	ES-500556-3 (S6LP-25)	3/4-20	KA12015
	IO-360-C	Alternate Tach Source Required	ES6314	ES6314	3/4-20	KA12778
	IO-360-C	Alternate Tach Source Required	ES-500556-3 (S6LP-25)	ES-500556-3 (S6LP-25)	3/4-20	KA12015
	IO-360-C	Right Magneto: Tach Breaker	ES-500556-3	ES-500556-203	3/4-20	KA12015
	IO-360-CB	Alternate Tach Source Required	ES6314	ES6314	3/4-20	KA12778
	IO-360-CB	Alternate Tach Source Required	ES-500556-3 (S6LP-25)	ES-500556-3 (S6LP-25)	3/4-20	KA12015
	IO-360-CB	Right Magneto: Tach Breaker	ES-500556-3 (S6LP-25)	ES-500556-203 (S6LP-25T)	3/4-20	KA12015
IO-360-D	Alternate Tach Source Required	ES6314	ES6314	3/4-20	KA12778	
IO-360-D	Alternate Tach Source Required	ES-500556-3 (S6LP-25)	ES-500556-3 (S6LP-25)	3/4-20	KA12015	
IO-360-D	Right Magneto: Tach Breaker	ES-500556-3 (S6LP-25)	ES-500556-203 (S6LP-25T)	3/4-20	KA12015	

**ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL**

**CONTINENTAL 6 CYLINDER**

<b>ENGINE MODEL</b>	<b>NOTES</b>	<b>LEFT MAGNETO Part Number (Type Number)</b>	<b>RIGHT MAGNETO Part Number (Type Number)</b>	<b>SPARK PLUG SIZE</b>	<b>COMPLETE HARNESS Left* &amp; Right* + Hardware Kit</b>
IO-360-DB	Alternate Tach Source Required	ES6314	ES6314	3/4-20	KA12778
IO-360-DB	Alternate Tach Source Required	ES-500556-3 (S6LP-25)	ES-500556-3 (S6LP-25)	3/4-20	KA12015
IO-360-DB	Right Magneto: Tach Breaker	ES-500556-3 (S6LP-25)	ES-500556-203 (S6LP-25T)	3/4-20	KA12015
IO-360-ES	Specs 1, 2, 3, 4, 6, 7, 8, 9, 11, 12, 13, 14, 15, 17, 18, 19, 20, 24	ES6314	ES6314	3/4-20	KA12778
IO-360-ES	Specs 16, 21, 22, 23, 25, 26, 27, 28	ES6314	ES6314	3/4-20	X
IO-360-ES	Specs 1, 2, 3, 4, 6, 7, 8, 9, 11, 12, 13, 14, 15, 17, 18, 19, 20, 24	ES-500556-3 (S6LP-25)	ES-500556-3 (S6LP-25)	3/4-20	KA12015
IO-360-ES	Specs 16, 21, 22, 23, 25, 26, 27, 28	ES-500556-3 (S6LP-25)	ES-500556-3 (S6LP-25)	3/4-20	X
IO-360-G	Alternate Tach Source Required	ES6314	ES6314	3/4-20	KA12778
IO-360-G	Alternate Tach Source Required	ES-500556-3 (S6LP-25)	ES-500556-3 (S6LP-25)	3/4-20	KA12015
IO-360-G	Right Magneto: Tach Breaker	ES-500556-3 (S6LP-25)	ES-500556-203 (S6LP-25T)	3/4-20	KA12015
IO-360-GB	Alternate Tach Source Required	ES6314	ES6314	3/4-20	KA12778
IO-360-GB	Alternate Tach Source Required	ES-500556-3 (S6LP-25)	ES-500556-3 (S6LP-25)	3/4-20	KA12015
IO-360-GB	Right Magneto: Tach Breaker	ES-500556-3 (S6LP-25)	ES-500556-203 (S6LP-25T)	3/4-20	KA12015
IO-360-H		ES6314	ES6314	3/4-20	KA12778
IO-360-H		ES-500556-3 (S6LP-25)	ES-500556-3 (S6LP-25)	3/4-20	KA12015

**C  
O  
N  
T  
I  
N  
E  
N  
T  
A  
L  
  
6  
  
C  
Y  
L**

**C  
O  
N  
T  
I  
N  
E  
N  
T  
A  
L  
  
6  
  
C  
Y  
L**

**ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL**

**CONTINENTAL 6 CYLINDER**

<b>C O N T I N E N T A L  6  C Y L</b>	<b>ENGINE MODEL</b>	<b>NOTES</b>	<b>LEFT MAGNETO Part Number (Type Number)</b>	<b>RIGHT MAGNETO Part Number (Type Number)</b>	<b>SPARK PLUG SIZE</b>	<b>COMPLETE HARNESS Left* &amp; Right* + Hardware Kit</b>
	IO-360-HB		ES6314	ES6314	3/4-20	KA12778
	IO-360-HB		ES-500556-3 (S6LP-25)	ES-500556-3 (S6LP-25)	3/4-20	KA12015
	IO-360-J		ES6314	ES6314	3/4-20	KA12778
	IO-360-J		ES-500556-3 (S6LP-25)	ES-500556-3 (S6LP-25)	3/4-20	KA12015
	IO-360-JB		ES6314	ES6314	3/4-20	KA12778
	IO-360-JB		ES-500556-3 (S6LP-25)	ES-500556-3 (S6LP-25)	3/4-20	KA12015
	IO-360-K		ES6314	ES6314	3/4-20	KA12778
	IO-360-K		ES-500556-3 (S6LP-25)	ES-500556-3 (S6LP-25)	3/4-20	KA12015
	IO-360-KB		ES6314	ES6314	3/4-20	KA12778
	IO-360-KB		ES-500556-3 (S6LP-25)	ES-500556-3 (S6LP-25)	3/4-20	KA12015
	LTSIO-360-E	Magnetos must connect to Pressurization	ES6320	ES6320	3/4-20	KA12778
	LTSIO-360-E		ES-500556-1 (S6RP-25)	ES-500556-1 (S6RP-25)	3/4-20	KA12015
	LTSIO-360-E	Magnetos must connect to Pressurization	ES-500556-101 (S6RP-25P)	ES-500556-101 (S6RP-25P)	3/4-20	KA12015
	LTSIO-360-EB	Magnetos must connect to Pressurization	ES6320	ES6320	3/4-20	KA12778
	LTSIO-360-EB	Magnetos must connect to Pressurization	ES-500556-101 (S6RP-25P)	ES-500556-101 (S6RP-25P)	3/4-20	KA12015

**ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL**

**CONTINENTAL 6 CYLINDER**

	<b>ENGINE MODEL</b>	<b>NOTES</b>	<b>LEFT</b>	<b>RIGHT</b>	<b>SPARK PLUG SIZE</b>	<b>COMPLETE</b>
			<b>MAGNETO Part Number (Type Number)</b>	<b>MAGNETO Part Number (Type Number)</b>		<b>HARNESS</b> Left* & Right* + Hardware Kit
<b>C O N T I N E N T A L  6  C Y L</b>	LTSIO-360-KB	Magnetos must connect to Pressurization	<b>ES6320</b>	<b>ES6320</b>	3/4-20	<b>KA12778</b>
	LTSIO-360-KB		<b>ES-500556-1 (S6RP-25)</b>	<b>ES-500556-1 (S6RP-25)</b>	3/4-20	<b>KA12015</b>
	LTSIO-360-KB	Magnetos must connect to Pressurization	<b>ES-500556-101 (S6RP-25P)</b>	<b>ES-500556-101 (S6RP-25P)</b>	3/4-20	<b>KA12015</b>
	LTSIO-360-RB	Magnetos must connect to Pressurization	<b>ES6320</b>	<b>ES6320</b>	3/4-20	<b>X</b>
	TSIO-360-A	Alternate Tach Source Required	<b>ES6314</b>	<b>ES6314</b>	3/4-20	<b>KA12778</b>
	TSIO-360-A	Alternate Tach Source Required	<b>ES-500556-3 (S6LP-25)</b>	<b>ES-500556-3 (S6LP-25)</b>	3/4-20	<b>KA12015</b>
	TSIO-360-A	Right Magneto: Tach Breaker	<b>ES-500556-3 (S6LP-25)</b>	<b>ES-500556-203 (S6LP-25T)</b>	3/4-20	<b>KA12015</b>
	TSIO-360-AB	Alternate Tach Source Required	<b>ES6314</b>	<b>ES6314</b>	3/4-20	<b>KA12778</b>
	TSIO-360-AB	Alternate Tach Source Required	<b>ES-500556-3 (S6LP-25)</b>	<b>ES-500556-3 (S6LP-25)</b>	3/4-20	<b>KA12015</b>
	TSIO-360-AB	Right Magneto: Tach Breaker	<b>ES-500556-3 (S6LP-25)</b>	<b>ES-500556-203 (S6LP-25T)</b>	3/4-20	<b>KA12015</b>
	TSIO-360-B		<b>ES6314</b>	<b>ES6314</b>	3/4-20	<b>KA12778</b>
	TSIO-360-B		S-20 S-200	S-20 S-200	3/4-20	<b>KA12015</b>
	TSIO-360-C	Alternate Tach Source Required	<b>ES6314</b>	<b>ES6314</b>	3/4-20	<b>KA12778</b>
	TSIO-360-C	Alternate Tach Source Required	<b>ES-500556-3 (S6LP-25)</b>	<b>ES-500556-3 (S6LP-25)</b>	3/4-20	<b>KA12015</b>
	TSIO-360-C	Right Magneto: Tach Breaker	<b>ES-500556-3 (S6LP-25)</b>	<b>ES-500556-203 (S6LP-25T)</b>	3/4-20	<b>KA12015</b>

**ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL**

**CONTINENTAL 6 CYLINDER**

<b>ENGINE MODEL</b>	<b>NOTES</b>	<b>LEFT</b>	<b>RIGHT</b>	<b>SPARK PLUG SIZE</b>	<b>COMPLETE</b>
		<b>MAGNETO Part Number (Type Number)</b>	<b>MAGNETO Part Number (Type Number)</b>		<b>HARNESS</b> Left* & Right* + Hardware Kit
TSIO-360-CB	Alternate Tach Source Required	ES6314	ES6314	3/4-20	KA12778
TSIO-360-CB	Alternate Tach Source Required	ES-500556-3 (S6LP-25)	ES-500556-3 (S6LP-25)	3/4-20	KA12015
TSIO-360-CB	Right Magneto: Tach Breaker	ES-500556-3 (S6LP-25)	ES-500556-203 (S6LP-25T)	3/4-20	KA12015
TSIO-360-D	Alternate Tach Source Required	ES6314	ES6314	3/4-20	KA12778
TSIO-360-D	Alternate Tach Source Required	ES-500556-3 (S6LP-25)	ES-500556-3 (S6LP-25)	3/4-20	KA12015
TSIO-360-D	Right Magneto: Tach Breaker	ES-500556-3 (S6LP-25)	ES-500556-203 (S6LP-25T)	3/4-20	KA12015
TSIO-360-DB	Alternate Tach Source Required	ES6314	ES6314	3/4-20	KA12778
TSIO-360-DB	Alternate Tach Source Required	ES-500556-3 (S6LP-25)	ES-500556-3 (S6LP-25)	3/4-20	KA12015
TSIO-360-DB	Right Magneto: Tach Breaker	ES-500556-3 (S6LP-25)	ES-500556-203 (S6LP-25T)	3/4-20	KA12015
TSIO-360-E		ES6314	ES6314	3/4-20	KA12778
TSIO-360-E	Magnetos must connect to Pressurization	ES6324	ES6324	3/4-20	KA12778
TSIO-360-E		ES-500556-3 (S6LP-25)	ES-500556-3 (S6LP-25)	3/4-20	KA12015
TSIO-360-E	Magnetos must connect to Pressurization	ES-500556-103 (S6LP-25P)	ES-500556-103 (S6LP-25P)	3/4-20	KA12015
TSIO-360-EB		ES6314	ES6314	3/4-20	KA12778
TSIO-360-EB	Magnetos must connect to Pressurization	ES6324	ES6324	3/4-20	KA12778
TSIO-360-EB		ES-500556-3 (S6LP-25)	ES-500556-3 (S6LP-25)	3/4-20	KA12015
TSIO-360-EB	Magnetos must connect to Pressurization	ES-500556-103 (S6LP-25P)	ES-500556-103 (S6LP-25P)	3/4-20	KA12015

**CONTINENTAL 6 CYL**

**CONTINENTAL 6 CYL**

**ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL**

**CONTINENTAL 6 CYLINDER**

<b>C O N T I N E N T A L  6  C Y L</b>	<b>ENGINE MODEL</b>	<b>NOTES</b>	<b>LEFT MAGNETO Part Number (Type Number)</b>	<b>RIGHT MAGNETO Part Number (Type Number)</b>	<b>SPARK PLUG SIZE</b>	<b>COMPLETE HARNESS</b> Left* & Right* + Hardware Kit
	TSIO-360-F		<b>ES6314</b>	<b>ES6314</b>	3/4-20	<b>KA12778</b>
	TSIO-360-F	Magnetos must connect to Pressurization	<b>ES6324</b>	<b>ES6324</b>	3/4-20	<b>KA12778</b>
	TSIO-360-F		<b>ES-500556-3 (S6LP-25)</b>	<b>ES-500556-3 (S6LP-25)</b>	3/4-20	<b>KA12015</b>
	TSIO-360-F	Magnetos must connect to Pressurization	<b>ES-500556-103 (S6LP-25P)</b>	<b>ES-500556-103 (S6LP-25P)</b>	3/4-20	<b>KA12015</b>
	TSIO-360-FB		<b>ES6314</b>	<b>ES6314</b>	3/4-20	<b>KA12778</b>
	TSIO-360-FB	Magnetos must connect to Pressurization	<b>ES6324</b>	<b>ES6324</b>	3/4-20	<b>KA12778</b>
	TSIO-360-FB		<b>ES-500556-3 (S6LP-25)</b>	<b>ES-500556-3 (S6LP-25)</b>	3/4-20	<b>KA12015</b>
	TSIO-360-FB	Magnetos must connect to Pressurization	<b>ES-500556-103 (S6LP-25P)</b>	<b>ES-500556-103 (S6LP-25P)</b>	3/4-20	<b>KA12015</b>
	TSIO-360-GB		<b>ES6314</b>	<b>ES6314</b>	3/4-20	<b>X</b>
	TSIO-360-GB		<b>ES-500556-3 (S6LP-25)</b>	<b>ES-500556-3 (S6LP-25)</b>	3/4-20	<b>KA12015</b>
	TSIO-360-GB	Magnetos must connect to Pressurization	<b>ES-500556-103 (S6LP-25P)</b>	<b>ES-500556-103 (S6LP-25P)</b>	3/4-20	<b>KA12015</b>
	TSIO-360-H	Alternate Tach Source Required	<b>ES6314</b>	<b>ES6314</b>	3/4-20	<b>KA12778</b>
	TSIO-360-H	Alternate Tach Source Required	<b>ES-500556-3 (S6LP-25)</b>	<b>ES-500556-3 (S6LP-25)</b>	3/4-20	<b>KA12015</b>
	TSIO-360-H	Right Magneto: Tach Breaker	<b>ES-500556-3 (S6LP-25)</b>	<b>ES-500556-203 (S6LP-25T)</b>	3/4-20	<b>KA12015</b>
	TSIO-360-HB	Alternate Tach Source Required	<b>ES6314</b>	<b>ES6314</b>	3/4-20	<b>KA12778</b>
TSIO-360-HB	Alternate Tach Source Required	<b>ES-500556-3 (S6LP-25)</b>	<b>ES-500556-3 (S6LP-25)</b>	3/4-20	<b>KA12015</b>	
TSIO-360-HB	Right Magneto: Tach Breaker	<b>ES-500556-3 (S6LP-25)</b>	<b>ES-500556-203 (S6LP-25T)</b>	3/4-20	<b>KA12015</b>	

**ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL**

**CONTINENTAL 6 CYLINDER**

<b>ENGINE MODEL</b>	<b>NOTES</b>	<b>LEFT MAGNETO Part Number (Type Number)</b>	<b>RIGHT MAGNETO Part Number (Type Number)</b>	<b>SPARK PLUG SIZE</b>	<b>COMPLETE HARNESS Left* &amp; Right* + Hardware Kit</b>
TSIO-360-JB	Alternate Tach Source Required	ES6314	ES6314	3/4-20	KA12778
TSIO-360-JB	Alternate Tach Source Required	ES-500556-3 (S6LP-25)	ES-500556-3 (S6LP-25)	3/4-20	KA12015
TSIO-360-JB	Right Magneto: Tach Breaker	ES-500556-3 (S6LP-25)	ES-500556-203 (S6LP-25T)	3/4-20	KA12015
TSIO-360-KB	Magnetos must connect to Pressurization	ES6324	ES6324	3/4-20	KA12778
TSIO-360-KB		ES-500556-3 (S6LP-25)	ES-500556-3 (S6LP-25)	3/4-20	KA12015
TSIO-360-KB	Magnetos must connect to Pressurization	ES-500556-103 (S6LP-25P)	ES-500556-103 (S6LP-25P)	3/4-20	KA12015
TSIO-360-LB	Magnetos must connect to Pressurization	ES6324	ES6324	3/4-20	KA12778
TSIO-360-LB	Magnetos must connect to Pressurization	ES-500556-103 (S6LP-25P)	ES-500556-103 (S6LP-25P)	3/4-20	KA12015
TSIO-360-MB	Alternate Tach Source Required, Magnetos must connect to Pressurization	ES6324	ES6324	3/4-20	KA12778
TSIO-360-MB	Magnetos must connect to Pressurization	ES-500556-103 (S6LP-25P)	ES-500556-103 (S6LP-25P)	3/4-20	KA12015
TSIO-360-RB	Magnetos must connect to Pressurization	ES6324	ES6324	3/4-20	X

**C  
O  
N  
T  
I  
N  
E  
N  
T  
A  
L  
  
6  
C  
Y  
L**

**C  
O  
N  
T  
I  
N  
E  
N  
T  
A  
L  
  
6  
C  
Y  
L**

**ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL**

**CONTINENTAL 6 CYLINDER**

CONTINENTAL 6 CYL	ENGINE MODEL	NOTES	LEFT MAGNETO Part Number (Type Number)	RIGHT MAGNETO Part Number (Type Number)	SPARK PLUG SIZE	COMPLETE HARNESS Left* & Right* + Hardware Kit
		TSIO-360-SB	Magnetos must connect to Pressurization	ES6324	ES6324	3/4-20
	TSIO-360-SB	Magnetos must connect to Pressurization	ES-500556-103 (S6LP-25P)	ES-500556-103 (S6LP-25P)	3/4-20	KA12015
	GIO-470-A		S-20 S-200	S-20 S-200	3/4-20	KA11730
	IO-470-C	Both Impulse	ES6310	ES6310	5/8-24	KA12828
	IO-470-C	Both Impulse	ES6310	ES6310	3/4-20	KA12381
	IO-470-C	Left Retard	ES-600606-1 (S6RP-201)	ES-600656-1 (S6RP-205)	5/8-24	KA11978
	IO-470-C	Both Impulse	ES-500556-1 (S6RP-25)	ES-500556-1 (S6RP-25)	5/8-24	KA11978
	IO-470-C	Left Retard	ES-600606-1 (S6RP-201)	ES-600656-1 (S6RP-205)	3/4-20	KA11730
	IO-470-C	Both Impulse	ES-500556-1 (S6RP-25)	ES-500556-1 (S6RP-25)	3/4-20	KA11730
	IO-470-D	Both Impulse	ES6310	ES6310	3/4-20	KA12381
	IO-470-D	Left Retard	ES-600606-1 (S6RP-201)	ES-600656-1 (S6RP-205)	3/4-20	KA11730
	IO-470-D	Both Impulse	ES-500556-1 (S6RP-25)	ES-500556-1 (S6RP-25)	3/4-20	KA11730
	IO-470-D	Both Impulse	ES-349350-4 (S6RP-1225)	ES-349350-5 (S6RP-1225)	3/4-20	KA11740
	IO-470-E	Both Impulse	ES6310	ES6310	3/4-20	KA12381
	IO-470-E	Left Retard	ES-600606-1 (S6RP-201)	ES-600656-1 (S6RP-205)	3/4-20	KA11730
	IO-470-E	Both Impulse	ES-500556-1 (S6RP-25)	ES-500556-1 (S6RP-25)	3/4-20	KA11730

**ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL**

**CONTINENTAL 6 CYLINDER**

<b>ENGINE MODEL</b>	<b>NOTES</b>	<b>LEFT</b>	<b>RIGHT</b>	<b>SPARK PLUG SIZE</b>	<b>COMPLETE</b>
		<b>MAGNETO Part Number (Type Number)</b>	<b>MAGNETO Part Number (Type Number)</b>		<b>HARNESS</b> Left* & Right* + Hardware Kit
IO-470-F	Both Impulse	<b>ES6310</b>	<b>ES6310</b>	<b>3/4-20</b>	<b>KA12381</b>
IO-470-F	Left Retard	<b>ES-600606-1</b> (S6RP-201)	<b>ES-600656-1</b> (S6RP-205)	3/4-20	<b>KA11730</b>
IO-470-F	Both Impulse	<b>ES-500556-1</b> (S6RP-25)	<b>ES-500556-1</b> (S6RP-25)	3/4-20	<b>KA11730</b>
IO-470-F	Both Impulse	<b>ES-349350-4</b> (S6RP-1225)	<b>ES-349350-5</b> (S6RP-1225)	3/4-20	<b>KA11740</b>
IO-470-G	Both Impulse	<b>ES6310</b>	<b>ES6310</b>	3/4-20	<b>KA12381</b>
IO-470-G	Both Impulse	<b>ES-500556-1</b> (S6RP-25)	<b>ES-500556-1</b> (S6RP-25)	3/4-20	<b>KA11730</b>
IO-470-H	Both Impulse	<b>ES6310</b>	<b>ES6310</b>	3/4-20	<b>KA12381</b>
IO-470-H	Both Impulse	<b>ES-500556-1</b> (S6RP-25)	<b>ES-500556-1</b> (S6RP-25)	3/4-20	<b>KA11730</b>
IO-470-J	Both Impulse	<b>ES6310</b>	<b>ES6310</b>	3/4-20	<b>KA12381</b>
IO-470-J	Both Impulse	<b>ES-349350-4</b> (S6RP-1225)	<b>ES-349350-5</b> (S6RP-1225)	3/4-20	<b>KA11740</b>
IO-470-K	Both Impulse	<b>ES6310</b>	<b>ES6310</b>	3/4-20	<b>KA12381</b>
IO-470-K	Left Retard	<b>ES-600606-1</b> (S6RP-201)	<b>ES-600656-1</b> (S6RP-205)	3/4-20	<b>KA11730</b>
IO-470-K	Both Impulse	<b>ES-349350-4</b> (S6RP-1225)	<b>ES-349350-5</b> (S6RP-1225)	3/4-20	<b>KA11740</b>
IO-470-L	Both Impulse	<b>ES6310</b>	<b>ES6310</b>	3/4-20	<b>KA12381</b>
IO-470-L	Left Retard	<b>ES-600606-1</b> (S6RP-201)	<b>ES-600656-1</b> (S6RP-205)	3/4-20	<b>KA11730</b>
IO-470-L	Both Impulse	<b>ES-349350-4</b> (S6RP-1225)	<b>ES-349350-5</b> (S6RP-1225)	3/4-20	<b>KA11740</b>
IO-470-L	Left Retard	<b>ES-349220-5</b> (S6RP-1201)	<b>ES-349260-6</b> (S6RP-1205)	3/4-20	<b>KA11740</b>

**C  
O  
N  
T  
I  
N  
E  
N  
T  
A  
L  
  
6  
  
C  
Y  
L**

**C  
O  
N  
T  
I  
N  
E  
N  
T  
A  
L  
  
6  
  
C  
Y  
L**

**ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL**

**CONTINENTAL 6 CYLINDER**

CONTINENTAL 6 CYL	ENGINE MODEL	NOTES	LEFT MAGNETO Part Number (Type Number)	RIGHT MAGNETO Part Number (Type Number)	SPARK PLUG SIZE	COMPLETE HARNESS Left* & Right* + Hardware Kit
		IO-470-M	Both Impulse	ES6310	ES6310	3/4-20
	IO-470-M	Left Retard	ES-600606-1 (S6RP-201)	ES-600656-1 (S6RP-205)	3/4-20	KA11730
	IO-470-M	Both Impulse	ES-500556-1 (S6RP-25)	ES-500556-1 (S6RP-25)	3/4-20	KA11730
	IO-470-N	Both Impulse	ES6310	ES6310	3/4-20	KA12381
	IO-470-N	Left Retard	ES-600606-1 (S6RP-201)	ES-600656-1 (S6RP-205)	3/4-20	KA11730
	IO-470-N	Both Impulse	ES-500556-1 (S6RP-25)	ES-500556-1 (S6RP-25)	3/4-20	KA11740
	IO-470-N	Both Impulse	ES-349350-4 (S6RP-1225)	ES-349350-5 (S6RP-1225)	3/4-20	X
	IO-470-P	Both Impulse	ES6310	ES6310	3/4-20	KA12381
	IO-470-P	Both Impulse	ES-500556-1 (S6RP-25)	ES-500556-1 (S6RP-25)	3/4-20	KA11730
	IO-470-R	Both Impulse	ES6310	ES6310	3/4-20	KA12381
	IO-470-R	Both Impulse	ES-500556-1 (S6RP-25)	ES-500556-1 (S6RP-25)	3/4-20	KA11730
	IO-470-S	Both Impulse	ES6310	ES6310	3/4-20	KA12381
	IO-470-S	Left Retard	ES-600606-1 (S6RP-201)	ES-600656-1 (S6RP-205)	3/4-20	KA11730
	IO-470-S	Both Impulse	ES-349350-4 (S6RP-1225)	ES-349350-5 (S6RP-1225)	3/4-20	KA11740
	IO-470-U	Both Impulse	ES6310	ES6310	3/4-20	KA12381
	IO-470-U	Left Retard	ES-600606-1 (S6RP-201)	ES-600656-1 (S6RP-205)	3/4-20	KA11730
	IO-470-V	Both Impulse	ES6310	ES6310	3/4-20	KA12381
	IO-470-V	Left Retard	ES-600606-1 (S6RP-201)	ES-600656-1 (S6RP-205)	3/4-20	KA11730

**ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL**

**CONTINENTAL 6 CYLINDER**

<b>ENGINE MODEL</b>	<b>NOTES</b>	<b>LEFT MAGNETO Part Number (Type Number)</b>	<b>RIGHT MAGNETO Part Number (Type Number)</b>	<b>SPARK PLUG SIZE</b>	<b>COMPLETE HARNESS Left* &amp; Right* + Hardware Kit</b>
IO-470-VO	Both Impulse	ES6310	ES6310	3/4-20	KA12381
IO-470-VO	Left Retard	ES-600606-1 (S6RP-201)	ES-600656-1 (S6RP-205)	3/4-20	KA11730
O-470-A	Both Impulse	ES6310	ES6310	3/4-20	KA12381
O-470-A	Both Impulse	ES-500556-1 (S6RP-25)	ES-500556-1 (S6RP-25)	3/4-20	KA11730
O-470-B	Both Impulse	ES6310	ES6310	3/4-20	KA12381
O-470-B	Both Impulse	ES-500556-1 (S6RP-25)	ES-500556-1 (S6RP-25)	3/4-20	KA11730
O-470-E	Both Impulse	ES6310	ES6310	3/4-20	KA12381
O-470-E	Both Impulse	ES-500556-1 (S6RP-25)	ES-500556-1 (S6RP-25)	3/4-20	KA11730
O-470-G	Both Impulse	ES6310	ES6310	5/8-24	KA12828
O-470-G	Both Impulse	ES-500556-1 (S6RP-25)	ES-500556-1 (S6RP-25)	5/8-24	KA11978
O-470-G-CI	Both Impulse	ES6310	ES6310	5/8-24	KA12828
O-470-G-CI	Both Impulse	ES-500556-1 (S6RP-25)	ES-500556-1 (S6RP-25)	5/8-24	KA11978
O-470-J	Both Impulse	ES6310	ES6310	5/8-24	KA12828
O-470-J	Both Impulse	ES-500556-1 (S6RP-25)	ES-500556-1 (S6RP-25)	5/8-24	KA11978
O-470-K	Both Impulse	ES6310	ES6310	5/8-24	KA12828
O-470-K	Both Impulse	ES-500556-1 (S6RP-25)	ES-500556-1 (S6RP-25)	5/8-24	KA11978

**ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL**

**CONTINENTAL 6 CYLINDER**

<b>ENGINE MODEL</b>	<b>NOTES</b>	<b>LEFT</b>	<b>RIGHT</b>	<b>SPARK PLUG SIZE</b>	<b>COMPLETE</b>
		<b>MAGNETO Part Number (Type Number)</b>	<b>MAGNETO Part Number (Type Number)</b>		<b>HARNESS</b> Left* & Right* + Hardware Kit
O-470-L	Both Impulse	<b>ES6310</b>	<b>ES6310</b>	5/8-24	<b>KA12828</b>
O-470-L	Both Impulse	<b>ES-500556-1</b> (S6RP-25)	<b>ES-500556-1</b> (S6RP-25)	5/8-24	<b>KA11978</b>
O-470-L	Left Retard	<b>ES-600606-1</b> (S6RP-201)	<b>ES-600656-1</b> (S6RP-205)	5/8-24	<b>KA11978</b>
O-470-L	Both Impulse	<b>ES-349350-4</b> (S6RP-1225)	<b>ES-349350-5</b> (S6RP-1225)	3/4-20	X
O-470-M	Both Impulse	<b>ES6310</b>	<b>ES6310</b>	3/4-20	<b>KA12381</b>
O-470-M	Both Impulse	<b>ES-500556-1</b> (S6RP-25)	<b>ES-500556-1</b> (S6RP-25)	3/4-20	<b>KA11730</b>
O-470-P	Both Impulse	<b>ES6310</b>	<b>ES6310</b>	3/4-20	<b>KA12381</b>
O-470-P	Both Impulse	<b>ES-500556-1</b> (S6RP-25)	<b>ES-500556-1</b> (S6RP-25)	3/4-20	<b>KA11730</b>
O-470-R	Both Impulse	<b>ES6310</b>	<b>ES6310</b>	3/4-20	<b>KA12381</b>
O-470-R	Left Retard	<b>ES-600606-1</b> (S6RP-201)	<b>ES-600656-1</b> (S6RP-205)	3/4-20	<b>KA11730</b>
O-470-R	Both Impulse	<b>ES-500556-1</b> (S6RP-25)	<b>ES-500556-1</b> (S6RP-25)	3/4-20	<b>KA11730</b>
O-470-R	Both Impulse	<b>ES-349350-4</b> (S6RP-1225)	<b>ES-349350-5</b> (S6RP-1225)	3/4-20	<b>KA11740</b>
O-470-S	Both Impulse	<b>ES6310</b>	<b>ES6310</b>	3/4-20	<b>KA12381</b>
O-470-S	Both Impulse	<b>ES-349350-4</b> (S6RP-1225)	<b>ES-349350-5</b> (S6RP-1225)	3/4-20	<b>KA11740</b>
O-470-U	Both Impulse	<b>ES6310</b>	<b>ES6310</b>	3/4-20	<b>KA12381</b>
O-470-U	Both Impulse	<b>ES-500556-1</b> (S6RP-25)	<b>ES-500556-1</b> (S6RP-25)	3/4-20	<b>KA11730</b>
O-470-U	Both Impulse	<b>ES-349350-4</b> (S6RP-1225)	<b>ES-349350-5</b> (S6RP-1225)	3/4-20	<b>KA11740</b>
O-470-2	Both Impulse	<b>ES-500556-1</b> (S6RP-25)	<b>ES-500556-1</b> (S6RP-25)	3/4-20	<b>KA11730</b>

**C  
O  
N  
T  
I  
N  
E  
N  
T  
A  
L  
  
6  
C  
Y  
L**

**C  
O  
N  
T  
I  
N  
E  
N  
T  
A  
L  
  
6  
C  
Y  
L**

**ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL**

**CONTINENTAL 6 CYLINDER**

<b>ENGINE MODEL</b>	<b>NOTES</b>	<b>LEFT MAGNETO Part Number (Type Number)</b>	<b>RIGHT MAGNETO Part Number (Type Number)</b>	<b>SPARK PLUG SIZE</b>	<b>COMPLETE HARNESS Left* &amp; Right* + Hardware Kit</b>
O-470-4	Both Impulse	ES-500516-3 (S6LP-21)	ES-500516-3 (S6LP-21)	5/8-24	X
O-470-7A	See E185-3	S-20 S-200	S-20 S-200	5/8-24	KA12176
O-470-7B	See E185-9	S-20 S-200	S-20 S-200	5/8-24	KA12176
O-470-11	Both Impulse	ES-500516-3 (S6LP-21)	ES-500516-3 (S6LP-21)	5/8-24	X
O-470-11B	Both Impulse	ES-500516-3 (S6LP-21)	ES-500516-3 (S6LP-21)	5/8-24	X
O-470-13	Both Impulse	ES-500516-3 (S6LP-21)	ES-500516-3 (S6LP-21)	5/8-24	X
O-470-13A	Both Impulse	ES-500516-3 (S6LP-21)	ES-500516-3 (S6LP-21)	5/8-24	X
O-470-15	Both Impulse	ES-500516-3 (S6LP-21)	ES-500516-3 (S6LP-21)	5/8-24	X
TSIO-470-B	Left Retard	ES-600606-1 (S6RP-201)	ES-600656-1 (S6RP-205)	3/4-20	KA11730
TSIO-470-B	Both Impulse	ES-500556-1 (S6RP-25)	ES-500556-1 (S6RP-25)	3/4-20	KA11730
TSIO-470-C	Left Retard	ES-600606-1 (S6RP-201)	ES-600656-1 (S6RP-205)	3/4-20	KA11730
TSIO-470-C	Both Impulse	ES-500556-1 (S6RP-25)	ES-500556-1 (S6RP-25)	3/4-20	KA11730
TSIO-470-D	Left Retard	ES-600606-1 (S6RP-201)	ES-600656-1 (S6RP-205)	3/4-20	KA11730
TSIO-470-D	Both Impulse	ES-500556-1 (S6RP-25)	ES-500556-1 (S6RP-25)	3/4-20	KA11730

CONTINENTAL 6 CYL

CONTINENTAL 6 CYL

**ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL**

**CONTINENTAL 6 CYLINDER**

<b>C O N T I N E N T A L  6  C Y L</b>	<b>ENGINE MODEL</b>	<b>NOTES</b>	<b>LEFT MAGNETO Part Number (Type Number)</b>	<b>RIGHT MAGNETO Part Number (Type Number)</b>	<b>SPARK PLUG SIZE</b>	<b>COMPLETE HARNESS Left* &amp; Right* + Hardware Kit</b>
	<b>GTSIO-520-C</b>	Left Retard	<b>ES-600606-3</b> (S6LP-201)	<b>ES-600656-3</b> (S6LP-205)	3/4-20	X
	<b>GTSIO-520-D</b>	Left Retard	<b>ES-349220-4</b> (S6LP-1201)	<b>ES-349260-7</b> (S6LP-1205)	3/4-20	<b>KA11950</b>
	<b>GTSIO-520-F</b>	Left Retard	<b>ES-349220-4</b> (S6LP-1201)	<b>ES-349260-7</b> (S6LP-1205)	3/4-20	<b>KA11950</b>
	<b>GTSIO-520-H</b>	Left Retard	<b>ES-349220-4</b> (S6LP-1201)	<b>ES-349260-7</b> (S6LP-1205)	3/4-20	<b>KA11950</b>
	<b>GTSIO-520-K</b>	Left Retard	<b>ES-349220-4</b> (S6LP-1201)	<b>ES-349260-7</b> (S6LP-1205)	3/4-20	<b>KA11950</b>
	<b>GTSIO-520-L</b>	Left Retard	<b>ES-349220-4</b> (S6LP-1201)	<b>ES-349260-7</b> (S6LP-1205)	3/4-20	<b>KA11950</b>
	<b>GTSIO-520-M</b>	Left Retard	<b>ES-349220-4</b> (S6LP-1201)	<b>ES-349260-7</b> (S6LP-1205)	3/4-20	<b>KA11950</b>
	<b>GTSIO-520-N</b>	Left Retard	<b>ES-349220-4</b> (S6LP-1201)	<b>ES-349260-7</b> (S6LP-1205)	3/4-20	<b>KA11950</b>
	<b>GTSIO-520-S</b>	Left Retard	<b>ES-349220-4</b> (S6LP-1201)	<b>ES-349260-7</b> (S6LP-1205)	3/4-20	<b>KA11950</b>
	<b>IO-520-A</b>	Both Impulse	<b>ES6310</b>	<b>ES6310</b>	3/4-20	<b>KA12381</b>
	<b>IO-520-A</b>	Both Impulse	<b>ES-500556-1</b> (S6RP-25)	<b>ES-500556-1</b> (S6RP-25)	3/4-20	<b>KA11730</b>
	<b>IO-520-A</b>	Both Impulse	<b>ES-349350-4</b> (S6RP-1225)	<b>ES-349350-5</b> (S6RP-1225)	3/4-20	<b>KA11740</b>

# ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL

## CONTINENTAL 6 CYLINDER

	ENGINE MODEL	NOTES	LEFT MAGNETO Part Number (Type Number)	RIGHT MAGNETO Part Number (Type Number)	SPARK PLUG SIZE	COMPLETE HARNESS Left* & Right* + Hardware Kit
	CONTINENTAL 6 CYL	IO-520-B No Turbo	Both Impulse	ES6310	ES6310	3/4-20
IO-520-B		Left Retard	ES-349220-5 (S6RP-1201)	ES-349260-6 (S6RP-1205)	3/4-20	KA11740
IO-520-B		Both Impulse	ES-349350-4 (S6RP-1225)	ES-349350-5 (S6RP-1225)	3/4-20	KA11740
IO-520-BA No Turbo		Both Impulse	ES6310	ES6310	3/4-20	KA12381
IO-520-BA		Left Retard	ES-600606-1 (S6RP-201)	ES-600656-1 (S6RP-205)	3/4-20	KA11730
IO-520-BA		Both Impulse	ES-500556-1 (S6RP-25)	ES-500556-1 (S6RP-25)	3/4-20	KA11730
IO-520-BA		Left Retard	ES-349220-5 (S6RP-1201)	ES-349260-6 (S6RP-1205)	3/4-20	KA11740
IO-520-BA		Both Impulse	ES-349350-4 (S6RP-1225)	ES-349350-5 (S6RP-1225)	3/4-20	KA11740
IO-520-BB No Turbo		Both Impulse	ES6310	ES6310	3/4-20	KA12381
IO-520-BB		Left Retard	ES-600606-1 (S6RP-201)	ES-600656-1 (S6RP-205)	3/4-20	KA11730
IO-520-BB		Both Impulse	ES-500556-1 (S6RP-25)	ES-500556-1 (S6RP-25)	3/4-20	KA11730
IO-520-BB		Left Retard	ES-349220-5 (S6RP-1201)	ES-349260-6 (S6RP-1205)	3/4-20	KA11740
IO-520-BB		Both Impulse	ES-349350-4 (S6RP-1225)	ES-349350-5 (S6RP-1225)	3/4-20	KA11740
IO-520-C No Turbo		Both Impulse	ES6310	ES6310	3/4-20	KA12381
IO-520-C		Both Impulse	ES-349350-4 (S6RP-1225)	ES-349350-5 (S6RP-1225)	3/4-20	KA11740
IO-520-C		Left Retard	ES-349220-5 (S6RP-1201)	ES-349260-6 (S6RP-1205)	3/4-20	KA11740

**ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL**

**CONTINENTAL 6 CYLINDER**

	<b>ENGINE MODEL</b>	<b>NOTES</b>	<b>LEFT MAGNETO Part Number (Type Number)</b>	<b>RIGHT MAGNETO Part Number (Type Number)</b>	<b>SPARK PLUG SIZE</b>	<b>COMPLETE HARNESS</b> Left* & Right* + Hardware Kit
	<b>C O N T I N E N T A L  6  C Y L</b>	<b>IO-520-CB</b> No Turbo	Both Impulse	<b>ES6310</b>	<b>ES6310</b>	3/4-20
<b>IO-520-CB</b>		Both Impulse	<b>ES-349350-4</b> (S6RP-1225)	<b>ES-349350-5</b> (S6RP-1225)	3/4-20	<b>KA11740</b>
<b>IO-520-CB</b>		Left Retard	<b>ES-349220-5</b> (S6RP-1201)	<b>ES-349260-6</b> (S6RP-1205)	3/4-20	<b>KA11740</b>
<b>IO-520-D</b> No Turbo		Both Impulse	<b>ES6310</b>	<b>ES6310</b>	3/4-20	<b>KA12381</b>
<b>IO-520-D</b>		Both Impulse	<b>ES-500556-1</b> (S6RP-25)	<b>ES-500556-1</b> (S6RP-25)	3/4-20	<b>KA11730</b>
<b>IO-520-D</b>		Both Impulse	<b>ES-349350-4</b> (S6RP-1225)	<b>ES-349350-5</b> (S6RP-1225)	3/4-20	<b>KA11740</b>
<b>IO-520-E</b>		Both Impulse	<b>ES6310</b>	<b>ES6310</b>	3/4-20	<b>KA12381</b>
<b>IO-520-E</b>		Left Retard	<b>ES-600606-1</b> (S6RP-201)	<b>ES-600656-1</b> (S6RP-205)	3/4-20	<b>KA11730</b>
<b>IO-520-E</b>		Both Impulse	<b>ES-349350-4</b> (S6RP-1225)	<b>ES-349350-5</b> (S6RP-1225)	3/4-20	<b>KA11740</b>
<b>IO-520-F</b>		Both Impulse	<b>ES6310</b>	<b>ES6310</b>	3/4-20	<b>KA12381</b>
<b>IO-520-F</b>		Both Impulse	<b>ES-500556-1</b> (S6RP-25)	<b>ES-500556-1</b> (S6RP-25)	3/4-20	<b>KA11730</b>
<b>IO-520-F</b>		Both Impulse	<b>ES-349350-4</b> (S6RP-1225)	<b>ES-349350-5</b> (S6RP-1225)	3/4-20	<b>KA11740</b>
<b>IO-520-J</b>		Both Impulse	<b>ES6310</b>	<b>ES6310</b>	3/4-20	<b>KA12381</b>
<b>IO-520-J</b>		Both Impulse	<b>ES-349350-4</b> (S6RP-1225)	<b>ES-349350-5</b> (S6RP-1225)	3/4-20	<b>KA11740</b>
<b>IO-520-K</b>		Alternate Tach Source Required	<b>ES6310</b>	<b>ES6310</b>	3/4-20	<b>KA12381</b>
<b>IO-520-K</b>		Alternate Tach Source Required	<b>ES-500556-1</b> (S6RP-25)	<b>ES-500556-1</b> (S6RP-25)	3/4-20	<b>KA11730</b>
<b>IO-520-K</b>		Left Retard, Right Tach	<b>ES-349220-5</b> (S6RP-1201)	<b>ES-349260-3</b> (S6RP-1205)	3/4-20	<b>KA11740</b>
<b>IO-520-K</b>		Left Retard, Alternate Tach Source Required	<b>ES-349220-5</b> (S6RP-1201)	<b>ES-349260-6</b> (S6RP-1205)	3/4-20	<b>KA11740</b>

**ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL**

**CONTINENTAL 6 CYLINDER**

<b>ENGINE MODEL</b>	<b>NOTES</b>	<b>LEFT</b>	<b>RIGHT</b>	<b>SPARK PLUG SIZE</b>	<b>COMPLETE</b>
		<b>MAGNETO Part Number (Type Number)</b>	<b>MAGNETO Part Number (Type Number)</b>		<b>HARNESS</b> Left* & Right* + Hardware Kit
IO-520-L	Both Impulse	<b>ES6310</b>	<b>ES6310</b>	3/4-20	<b>KA12381</b>
IO-520-L	Both Impulse	<b>ES-500556-1</b> (S6RP-25)	<b>ES-500556-1</b> (S6RP-25)	3/4-20	<b>KA11730</b>
IO-520-L	Both Impulse	<b>ES-349350-4</b> (S6RP-1225)	<b>ES-349350-5</b> (S6RP-1225)	3/4-20	<b>KA11740</b>
IO-520-M	Both Impulse	<b>ES6310</b>	<b>ES6310</b>	3/4-20	<b>KA12381</b>
IO-520-M		S-20 S-200	S-20 S-200	3/4-20	<b>KA11730</b>
IO-520-MB	Both Impulse	<b>ES6310</b>	<b>ES6310</b>	3/4-20	<b>KA12381</b>
IO-520-MB	Left Retard	<b>ES-600606-1</b> (S6RP-201)	<b>ES-600656-1</b> (S6RP-205)	3/4-20	<b>KA11730</b>
IO-520-MB	Both Impulse	<b>ES-349350-4</b> (S6RP-1225)	<b>ES-349350-5</b> (S6RP-1225)	3/4-20	<b>KA11740</b>
LTSIO-520-AE	Both Impulse	<b>ES-349350-6</b> (S6LP-1225)	<b>ES-349350-7</b> (S6LP-1225)	3/4-20	<b>KA11740</b>
TSIO-520-AE	Both Impulse	<b>ES-349350-4</b> (S6RP-1225)	<b>ES-349350-5</b> (S6RP-1225)	3/4-20	<b>KA11740</b>
TSIO-520-AF	Both Impulse	<b>ES-349350-4</b> (S6RP-1225)	<b>ES-349350-5</b> (S6RP-1225)	3/4-20	<b>KA11740</b>
TSIO-520-B	Left Retard	<b>ES-600606-1</b> (S6RP-201)	<b>ES-600656-1</b> (S6RP-205)	3/4-20	<b>KA11730</b>
TSIO-520-B	Left Retard	<b>ES-349220-5</b> (S6RP-1201)	<b>ES-349260-6</b> (S6RP-1205)	3/4-20	<b>KA11740</b>
TSIO-520-BB	Left Retard	<b>ES-600606-1</b> (S6RP-201)	<b>ES-600656-1</b> (S6RP-205)	3/4-20	<b>KA11730</b>
TSIO-520-BB	Left Retard	<b>ES-349220-5</b> (S6RP-1201)	<b>ES-349260-6</b> (S6RP-1205)	3/4-20	<b>KA11740</b>

**C  
O  
N  
T  
I  
N  
E  
N  
T  
A  
L  
6  
C  
Y  
L**

**C  
O  
N  
T  
I  
N  
E  
N  
T  
A  
L  
6  
C  
Y  
L**

**ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL**

**CONTINENTAL 6 CYLINDER**

	ENGINE MODEL	NOTES	LEFT MAGNETO Part Number (Type Number)	RIGHT MAGNETO Part Number (Type Number)	SPARK PLUG SIZE	COMPLETE HARNESS Left* & Right* + Hardware Kit
	<b>C O N T I N E N T A L  6  C Y L I N D E R</b>	TSIO-520-BE	11/16 Tach Port, Magnetos must connect to Pressurization	<b>ES6320</b>	<b>ES6320</b>	3/4-20
TSIO-520-BE		9/16 Tach Port, Magnetos must connect to Pressurization	<b>ES-500556-101</b> (S6RP-25P)	<b>ES-500556-101</b> (S6RP-25P)	3/4-20	X
TSIO-520-C			S-20 S-200	S-20 S-200	3/4-20	<b>KA11730</b>
TSIO-520-C		Both Impulse	<b>ES-349350-4</b> (S6RP-1225)	<b>ES-349350-5</b> (S6RP-1225)	3/4-20	<b>KA11740</b>
TSIO-520-CE		Both Impulse	<b>ES-349350-4</b> (S6RP-1225)	<b>ES-349350-5</b> (S6RP-1225)	3/4-20	X
TSIO-520-D		Both Impulse	<b>ES-349350-4</b> (S6RP-1225)	<b>ES-349350-5</b> (S6RP-1225)	3/4-20	<b>KA11740</b>
TSIO-520-D		Left Retard	<b>ES-349220-5</b> (S6RP-1201)	<b>ES-349260-6</b> (S6RP-1205)	3/4-20	<b>KA11740</b>
TSIO-520-DB		Both Impulse	<b>ES-349350-4</b> (S6RP-1225)	<b>ES-349350-5</b> (S6RP-1225)	3/4-20	<b>KA11740</b>
TSIO-520-DB		Left Retard	<b>ES-349220-5</b> (S6RP-1201)	<b>ES-349260-6</b> (S6RP-1205)	3/4-20	<b>KA11740</b>
TSIO-520-E		Left Retard	<b>ES-600606-1</b> (S6RP-201)	<b>ES-600656-1</b> (S6RP-205)	3/4-20	<b>KA11730</b>
TSIO-520-EB		Left Retard	<b>ES-600606-1</b> (S6RP-201)	<b>ES-600656-1</b> (S6RP-205)	3/4-20	<b>KA11730</b>
TSIO-520-G		Both Impulse	<b>ES-349350-4</b> (S6RP-1225)	<b>ES-349350-5</b> (S6RP-1225)	3/4-20	<b>KA11740</b>
TSIO-520-H		Both Impulse	<b>ES-349350-4</b> (S6RP-1225)	<b>ES-349350-5</b> (S6RP-1225)	3/4-20	<b>KA11740</b>

**ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL**

**CONTINENTAL 6 CYLINDER**

	<b>ENGINE MODEL</b>	<b>NOTES</b>	<b>LEFT MAGNETO Part Number (Type Number)</b>	<b>RIGHT MAGNETO Part Number (Type Number)</b>	<b>SPARK PLUG SIZE</b>	<b>COMPLETE HARNESS Left* &amp; Right* + Hardware Kit</b>
	<b>C O N T I N E N T A L  6  C Y L</b>	TSIO-520-J	Left Retard	ES-349220-5 (S6RP-1201)	ES-349260-6 (S6RP-1205)	3/4-20
TSIO-520-JB		Both Impulse	ES-349350-4 (S6RP-1225)	ES-349350-5 (S6RP-1225)	3/4-20	KA11740
TSIO-520-JB		Left Retard	ES-349220-5 (S6RP-1201)	ES-349260-6 (S6RP-1205)	3/4-20	KA11740
TSIO-520-K		Left Retard	ES-349220-5 (S6RP-1201)	ES-349260-6 (S6RP-1205)	3/4-20	KA11740
TSIO-520-KB		Left Retard	ES-349220-5 (S6RP-1201)	ES-349260-6 (S6RP-1205)	3/4-20	KA11740
TSIO-520-L		Left Retard	ES-349220-5 (S6RP-1201)	ES-349260-6 (S6RP-1205)	3/4-20	KA11740
TSIO-520-LB		Left Retard	ES-349220-5 (S6RP-1201)	ES-349260-6 (S6RP-1205)	3/4-20	KA11740
TSIO-520-M		Both Impulse	ES-349350-4 (S6RP-1225)	ES-349350-5 (S6RP-1225)	3/4-20	KA11740
TSIO-520-N		Both Impulse	ES-349350-4 (S6RP-1225)	ES-349350-5 (S6RP-1225)	3/4-20	KA11740
TSIO-520-N		Left Retard	ES-349220-5 (S6RP-1201)	ES-349260-6 (S6RP-1205)	3/4-20	KA11740
TSIO-520-NB		Both Impulse	ES-349350-4 (S6RP-1225)	ES-349350-5 (S6RP-1225)	3/4-20	KA11740
TSIO-520-NB		Left Retard	ES-349220-5 (S6RP-1201)	ES-349260-6 (S6RP-1205)	3/4-20	KA11740
TSIO-520-P		Both Impulse	ES-349350-4 (S6RP-1225)	ES-349350-5 (S6RP-1225)	3/4-20	KA11740

**ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL**

**CONTINENTAL 6 CYLINDER**

	<b>ENGINE MODEL</b>	<b>NOTES</b>	<b>LEFT</b>	<b>RIGHT</b>	<b>SPARK PLUG SIZE</b>	<b>COMPLETE</b>
			<b>MAGNETO Part Number (Type Number)</b>	<b>MAGNETO Part Number (Type Number)</b>		<b>HARNESS</b> Left* & Right* + Hardware Kit
<b>C O N T I N E N T A L  6  C Y L</b>	TSIO-520-R	Both Impulse	<b>ES-349350-4</b> (S6RP-1225)	<b>ES-349350-5</b> (S6RP-1225)	3/4-20	<b>KA11740</b>
	TSIO-520-R	Left Retard	<b>ES-349220-5</b> (S6RP-1201)	<b>ES-349260-6</b> (S6RP-1205)	3/4-20	<b>KA11740</b>
	TSIO-520-T	Both Impulse	<b>ES6310</b>	<b>ES6310</b>	3/4-20	<b>KA12381</b>
	TSIO-520-T	Both Impulse	<b>ES-349350-4</b> (S6RP-1225)	<b>ES-349350-5</b> (S6RP-1225)	3/4-20	<b>KA11740</b>
	TSIO-520-UB	Both Impulse	<b>ES-349350-4</b> (S6RP-1225)	<b>ES-349350-5</b> (S6RP-1225)	3/4-20	<b>KA11740</b>
	TSIO-520-UB	Left Retard	<b>ES-349220-5</b> (S6RP-1201)	<b>ES-349260-6</b> (S6RP-1205)	3/4-20	<b>KA11740</b>
	TSIO-520-VB	Left Retard	<b>ES-600606-1</b>	<b>ES-600656-1</b>	3/4-20	<b>KA11730</b>
	TSIO-520-WB	Left Retard	<b>ES-349220-5</b> (S6RP-1201)	<b>ES-349260-6</b> (S6RP-1205)	3/4-20	<b>KA11740</b>
	IO-550-A	Both Impulse	<b>ES6310</b>	<b>ES6310</b>	3/4-20	<b>KA12381</b>
	IO-550-A		S-20 S-200	S-20 S-200	3/4-20	<b>KA11730</b>
	IO-550-A	Both Impulse	<b>ES-349350-4</b> (S6RP-1225)	<b>ES-349350-5</b> (S6RP-1225)	3/4-20	<b>KA11740</b>
	IO-550-B No Turbo	Both Impulse	<b>ES6310</b>	<b>ES6310</b>	3/4-20	<b>KA12381</b>
	IO-550-B	Both Impulse	<b>ES-500556-1</b> (S6RP-25)	<b>ES-500556-1</b> (S6RP-25)	3/4-20	<b>KA11730</b>
	IO-550-B	Both Impulse	<b>ES-349350-4</b> (S6RP-1225)	<b>ES-349350-5</b> (S6RP-1225)	3/4-20	<b>KA11740</b>
	IO-550-B	Left Retard	<b>ES-349220-5</b> (S6RP-1201)	<b>ES-349260-6</b> (S6RP-1205)	3/4-20	<b>KA11740</b>

**ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL**

**CONTINENTAL 6 CYLINDER**

	ENGINE MODEL	NOTES	LEFT MAGNETO Part Number (Type Number)	RIGHT MAGNETO Part Number (Type Number)	SPARK PLUG SIZE	COMPLETE HARNESS Left* & Right* + Hardware Kit
	<b>C O N T I N E N T A L  6  C Y L</b>	IO-550-C No Turbo	Both Impulse	ES6310	ES6310	3/4-20
IO-550-C		Both Impulse	ES-500556-1 (S6RP-25)	ES-500556-1 (S6RP-25)	3/4-20	KA11730
IO-550-C		Both Impulse	ES-349350-4 (S6RP-1225)	ES-349350-5 (S6RP-1225)	3/4-20	KA11740
IO-550-D No Turbo		Both Impulse	ES6310	ES6310	3/4-20	KA12381
IO-550-D		Both Impulse	ES-349350-4 (S6RP-1225)	ES-349350-5 (S6RP-1225)	3/4-20	KA11740
IO-550-D		Left Retard	ES-349220-5 (S6RP-1201)	ES-349260-6 (S6RP-1205)	3/4-20	KA11740
IO-550-E		Both Impulse	ES-349350-4 (S6RP-1225)	ES-349350-5 (S6RP-1225)	3/4-20	KA11740
IO-550-E		Left Retard	ES-349220-5 (S6RP-1201)	ES-349260-6 (S6RP-1205)	3/4-20	KA11740
IO-550-F		Both Impulse	ES6310	ES6310	3/4-20	KA12381
IO-550-F		Both Impulse	ES-500556-1 (S6RP-25)	ES-500556-1 (S6RP-25)	3/4-20	KA11730
IO-550-F		Both Impulse	ES-349350-4 (S6RP-1225)	ES-349350-5 (S6RP-1225)	3/4-20	KA11740
IO-550-G		Both Impulse	ES-500556-1 (S6RP-25)	ES-500556-1 (S6RP-25)	3/4-20	X
IO-550-L		Both Impulse	ES6310	ES6310	3/4-20	KA12381
IO-550-L		Both Impulse	ES-349350-4 (S6RP-1225)	ES-349350-5 (S6RP-1225)	3/4-20	KA11740

**ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL**

**CONTINENTAL 6 CYLINDER**

<b>C O N T I N E N T A L  6  C Y L</b>	<b>ENGINE MODEL</b>	<b>NOTES</b>	<b>LEFT MAGNETO Part Number (Type Number)</b>	<b>RIGHT MAGNETO Part Number (Type Number)</b>	<b>SPARK PLUG SIZE</b>	<b>COMPLETE HARNESS</b> Left* & Right* + Hardware Kit
	<b>IO-550-N</b> No Turbo	Both Impulse 11/16 Tach Port	<b>ES6310</b>	<b>ES6310</b>	3/4-20	X
	<b>IO-550-N</b>	Both Impulse 9/16 Tach Port. Specs 1, 6, 7, 8, 14, 17, 23, 24, 31, 35, 39, 41, 43, 45, 47, 49, 54, 55, 56, 58, 59, 63, 64, 65, 69	<b>ES-500556-1</b> (S6RP-25)	<b>ES-500556-1</b> (S6RP-25)	3/4-20	<b>KA17425</b>
	<b>IO-550-N</b>	Both Impulse 9/16 Tach Port. Specs 2, 10, 11, 12, 13, 15, 16, 18, 19, 20, 21, 22, 25, 26, 27, 28, 30, 32, 34, 36, 37, 38, 40, 42, 46, 48, 50, 51, 52, 53, 57, 60, 61, 62, 66, 67, 68, 70	<b>ES-500556-1</b> (S6RP-25)	<b>ES-500556-1</b> (S6RP-25)	3/4-20	X
	<b>IO-550-P</b>	Both Impulse	<b>ES-500556-1</b> (S6RP-25)	<b>ES-500556-1</b> (S6RP-25)	3/4-20	<b>KA17425</b>
	<b>IO-550-R</b>	Both Impulse	<b>ES-500556-1</b> (S6RP-25)	<b>ES-500556-1</b> (S6RP-25)	3/4-20	<b>KA17425</b>
	<b>TSIO-550-A</b>	Both Impulse Magnetos must connect to Pressurization	<b>ES6320</b>	<b>ES6320</b>	3/4-20	X
	<b>TSIO-550-A</b>	Both Impulse Magnetos must connect to Pressurization	<b>ES-500556-101</b> (S6RP-25P)	<b>ES-500556-101</b> (S6RP-25P)	3/4-20	X

**ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL**

**CONTINENTAL 6 CYLINDER**

<b>ENGINE MODEL</b>	<b>NOTES</b>	<b>LEFT MAGNETO Part Number (Type Number)</b>	<b>RIGHT MAGNETO Part Number (Type Number)</b>	<b>SPARK PLUG SIZE</b>	<b>COMPLETE HARNESS Left* &amp; Right* + Hardware Kit</b>
TSIO-550-B	Both Impulse Magnets must connect to Pressurization	<b>ES-500556-101</b> (S6RP-25P)	<b>ES-500556-101</b> (S6RP-25P)	3/4-20	X
TSIO-550-C	Magnets must connect to Pressurization	<b>ES6320</b>	<b>ES6320</b>	3/4-20	X
TSIO-550-C	Spec 6 Only. Magnets must connect to Pressurization	<b>ES-500556-101</b> (S6RP-25P)	<b>ES-500556-101</b> (S6RP-25P)	3/4-20	<b>KA17425</b>
TSIO-550-C	Specs 5, 7, 8, 9, 10, 11, 12, 133, 14, 16, 17, 18, 19, 20, 21. Magnets must connect to Pressurization	<b>ES-500556-101</b> (S6RP-25P)	<b>ES-500556-101</b> (S6RP-25P)	3/4-20	X
TSIO-550-E	Magnets must connect to Pressurization	<b>ES6320</b>	<b>ES6320</b>	3/4-20	X
TSIO-550-E	Specs 1, 4, 9, 11, 12, 23 Only. Magnets must connect to Pressurization	<b>ES-500556-101</b> (S6RP-25P)	<b>ES-500556-101</b> (S6RP-25P)	3/4-20	<b>KA17421</b>
TSIO-550-E	Specs 15, 16, 21, 22. Magnets must connect to Pressurization	<b>ES-500556-101</b> (S6RP-25P)	<b>ES-500556-101</b> (S6RP-25P)	3/4-20	X
TSIO-550-G	Magnets must connect to Pressurization	<b>ES-500556-101</b> (S6RP-25P)	<b>ES-500556-101</b> (S6RP-25P)	3/4-20	<b>KA17447</b>
TSIO-550-K	Magnets must connect to Pressurization	<b>ES-500556-101</b> (S6RP-25P)	<b>ES-500556-101</b> (S6RP-25P)	3/4-20	<b>KA17421</b>

**C  
O  
N  
T  
I  
N  
E  
N  
T  
A  
L  
  
6  
  
C  
Y  
L**

**C  
O  
N  
T  
I  
N  
E  
N  
T  
A  
L  
  
6  
  
C  
Y  
L**

**ES SERIES MAGNETO AND IGNITION HARNESS APPLICATION BY ENGINE MODEL**

**CONTINENTAL 6 CYLINDER**

<b>ENGINE MODEL</b>	<b>NOTES</b>	<b>LEFT MAGNETO Part Number (Type Number)</b>	<b>RIGHT MAGNETO Part Number (Type Number)</b>	<b>SPARK PLUG SIZE</b>	<b>COMPLETE HARNESS Left* &amp; Right* + Hardware Kit</b>
<b>TSIO-550-N</b>	Magnetos must connect to Pressurization	<b>ES-500556-101 (S6RP-25P)</b>	<b>ES-500556-101 (S6RP-25P)</b>	3/4-20	<b>KA17421</b>
<b>TSIOL-550-B</b>	Both Impulse	<b>ES-349350-4 (S6RP-1225)</b>	<b>ES-349350-5 (S6RP-1225)</b>	3/4-20	<b>KA11740</b>
<b>TSIOL-550-C</b>	Both Impulse	<b>ES-349350-4 (S6RP-1225)</b>	<b>ES-349350-5 (S6RP-1225)</b>	3/4-20	<b>KA11740</b>