# **Safety Data Sheet**

### **SUMNER LABS - 210 REGULAR**

## Section 1. Identification

Product Identifier SUMNER LABS - 210 REGULAR

Synonyms N/A

Manufacturer Stock

Numbers

23301, 23304

Recommended use PLASTIC CLEANER - Cleans and polishes boats, cars, airplanes,

motorcycles, acrylic windows, skylights, picture frames and many more!!

Uses advised against None Known

Manufacturer Contact

Address Shield Packaging Co., Inc.

50 Oxford Ave. Dudley, MA, 01571

USA

Phone Emergency Phone Fax

(508) 949-0900 (800) 424-9300 (508) 943-1473

CHEMTREC

CHEMTREC 24 HR. Emergency Telephone

Number

## Section 2. Hazards Identification

Classification ASPIRATION HAZARD - Category 2

FLAMMABLE AEROSOLS - Category 1

GASES UNDER PRESSURE - Compressed gas SERIOUS EYE DAMAGE /EYE IRRITATION - Category 2B

SKIN CORROSION/IRRITATION - Category 3

SPECIFIC TARGET ORGAN TOXICITY (Single Exposure) - Category 3

Signal Word Pictogram



Hazard Statements May cause drowsiness or dizziness

Causes eye irritation
Causes mild skin irritation

Contains gas under pressure; may explode if heated

Extremely flammable aerosol

May be harmful or fatal if swallowed and enters airways

**Precautionary Statements** 

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

If inhaled: Remove person to fresh air and keep comfortable for breathing. If swallowed: Immediately call a poison center for medical advice. DO NOT

induce vomiting.

Prevention Avoid breathing dust/fume/gas/mist/ vapors/spray.

Do not spray on an open flame or other ignition source.

Keep away from heat.

Pressurized container: Do not pierce or burn, even after use.

Wash hands thoroughly after handling.

Storage Avoid high temperatures that may elevate component pressure above

container rating. Cylinders should be stored upright with valve protection cap

in place

Disposal Dispose of contents/container in accordance with local, state and federal

regulations.

Ingredients of unknown

toxicity

0%

Hazards not Otherwise

Classified

No Data Available

### Section 3. Ingredients

CAS	Ingredient Name	Weight %
75-28-5	Isobutane	5-10 %
64742-95-6	SOLVENT NAPTHA, PETROLEUM, LIGHT AROMATIC	25-35 %
74-98-6	Propane	1-5 %
106-97-8	Butane	<1 %

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First-Aid Measures

Eye Contact: Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue

rinsing the eye. If irritation persists, seek medical advice.

Skin Contact: Wash off with mild soap and water. If irritation develops or persists, seek

medical advice.

Inhalation: Remove affected person to fresh air.

Ingestion If swallowed, IMMEDIATELY call a poison control center or doctor for treatment

advice. Do not induce vomiting.

### Section 5. Fire Fighting Measures

Suitable Extinguishing

Carbon Dioxide, dry chemical, mist or water spray.

Media

As in any fire, wear self-contained breathing apparatus pressure-demand,

MSHA/NIOSH (approved or equivalent) and full protective gear.

Unsuitable Extinguishing

Media

Notification Procedures: Stop leak if possible. Eliminate all sources of ignition. Prevent vapor from

entering sewers, basements or confined areas. Take note of any information

in Section 8 on suitable personal protective equipment.

Spill Cleanup Wipe or mop us spill immediately.

Section 6. Accidental Release Measures

## Section 7. Handling and Storage

Handling Avoid high temperatures that may elevate component pressure above

container rating. Cylinders should be stored upright with valve protection cap

in place.

KEEP OUT OF THE REACH OF CHILDREN

## Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits

Ingredient Name	ACGIH TLV	OSHA PEL	STEL
Isobutane	800ppm	800ppm	N/A
SOLVENT NAPTHA, PETROLEUM, LIGHT AROMATIC	200mg/m3	N/A	N/A
Propane	NEppm	1000ppm	N/A
Butane	N/A	N/A	N/A

Personal Protective Equipment Gloves, SAFETY GLASSES

## Section 9. Physical and Chemical Properties

Dhysical State	Aerosol
Physical State	
Color	Milky White
Odor	Solvent
Odor Threshold	N/A
Solubility	N/A
Partition coefficient Water/n-octanol	N/A
VOC%	N/A
Viscosity	N/A
Specific Gravity	1
Density lbs/Gal	N/A
Pounds per Cubic Foot	N/A
Flash Point	-120.59
FP Method	N/A
рН	N/A
Melting Point	N/A
Boiling Point	N/A
Boiling Range	N/A
LEL	N/A
UEL	N/A
Evaporation Rate	N/A
Flammability	N/A
Decomposition Temperature	N/A
Auto-ignition Temperature	N/A
Vapor Pressure	N/A
Vapor Density	N/A

### Section 10. Stability and Reactivity

Stability: This is a stable material.

Conditions to Avoid: Excessive storage temperatures and contact with extremely hot surfaces

### Section 11. Toxicological Information

Skin Corrosion/Irritation: Skin Corrosion/Irritation Category 3

Inhalation: Specific target organ toxicity (single exposure): STOT Single Exposure 3

Serious Eye Damage/Eye

Irritation

Eye Damage/Irritation Category 2B

Ingestion Harmful or fatal if swallowed and aspirated into lungs

## Section 12. Ecological Information

Ecotoxicity: This product may be toxic to fish or other aquatic organisms. Do NOT

discharge effluent containing this product into sewer systems.

### Section 13. Disposal

Disposal Method: All wastes must be handled in accordance with local, state, national and

international regulations.

## Section 14. Transport Information

UN Number 1950

UN Proper Shipping Name AEROSOL, FLAMMABLE

DOT Classification 2.1
Packing Group N/A

Additional Information IATA - UN NUMBER: 1950

IATA - PROPER SHIPPING NAME: AEROSOL, FLAMMABLE

IATA - PACKING GROUP: N/A

IATA - TRANSPORT HAZARD CLASS: 2.1

IMDG - UN NUMBER: 1950

IMDG - PROPER SHIPPING NAME: AEROSOL, FLAMMABLE

IMDG - PACKING GROUP: N/A

IMDG - TRANSPORT HAZARD CLASS: 2.1

## Section 15. Regulatory Information

Section 302 Extremely There are no SARA Title III Section 302 Extremely Hazardous Substances Hazardous Substances (40 present in this product (40 CFR 355, Appendix A).

#### CFR 355, Appendix A):

## Section 16. Other Information

Revision Date 11/14/2018

Disclaimer: The information contained in this Safety Data Sheet is furnished without

warranty of any kind, expressed or implied. Information in this Data Sheet has been assembled by the manufacturer based on its own studies and on the

work of others and is believed to be correct as of the date issued.