

\*

\*

Page 1/8

# Safety Data Sheet acc. to OSHA HCS

Printing Date 06/01/2021	Revision Number 3	Revision Date 06/01/2021
1 Identification		
· Product identifier		
• Trade name: <u>Double Bubble Ep</u> • Relevant identified uses of the su • Application of the substance / th	ubstance or mixture. Industrial Use Only.	
<ul> <li>Details of the supplier of the safe</li> <li>Manufacturer/Supplier: Royal Adhesives &amp; Sealants</li> <li>800 E. Anaheim Street</li> <li>Wilmington. CA 90744</li> <li>(310) 830-9904</li> </ul>	ety data sheet	
÷ 0	Regulatory Department. USA and Canada: 1-800-424-9300. 3-527-3887 (collect calls accepted)	
2 Hazard(s) identification · Classification of the substance of GHS07	r mixture	

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

· Label elements

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Warning · Hazard statements Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May cause respiratory irritation. · Precautionary statements Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves / eye protection / face protection.

(Contd. on page 2)

USA

Printing Date 06/01/2021

**Revision Number 3** 

Revision Date 06/01/2021

### Trade name: Double Bubble Epoxy Non-Sag Part A (04008)

If on skin: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Continue rinsing.
Call a poison center/doctor if you feel unwell.
Specific treatment (see on this label).
Take off contaminated clothing and wash it before reuse.
If skin irritation or rash occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Wash contaminated clothing before reuse.
Store in a well-ventilated place. Keep container tightly closed.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Classification system:
· NFPA ratings (scale 0 - 4)
$\begin{array}{c} \hline 2 \\ \hline 0 \\ \hline Reactivity = 0 \end{array}$
· HMIS-ratings (scale 0 - 4)
HEALTH2FIRE1PHYSICAL HAZARD 0
· Other hazards
Results of PBT and vPvB assessment
· <b>PBT:</b> Not applicable.
• <b>vPvB:</b> Not applicable.
3 Composition/information on ingredients
· Chemical characterization: Mixtures

· **Description:** Mixture

· Hazardous components:		
25068-38-6	Bisphenol A Epoxy Resin	50-100%
41638-13-5	polyglycol, epichlorohydrin polymer	2.5-10%

## 4 First-aid measures

· Description	of first aid	measures
---------------	--------------	----------

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: Seek medical treatment.

• Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

USA

(Contd. of page 2)

### Safety Data Sheet acc. to OSHA HCS

Printing Date 06/01/2021

Revision Number 3

Revision Date 06/01/2021

Trade name: Double Bubble Epoxy Non-Sag Part A (04008)

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.* 

#### **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

- *Use fire fighting measures that suit the environment.*
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Protective clothing and respiratory protective device.

#### **6** Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation Wear protective clothing.*
- *Environmental precautions:* Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

#### 7 Handling and storage

#### · Handling:

- *Precautions for safe handling* Avoid contact with skin and eyes.
- Use only in well ventilated areas.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location away from direct heat.
- Information about storage in one common storage facility: Keep away from open flames and high temperatures.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 4)

USA

USA

# Safety Data Sheet acc. to OSHA HCS

Printing Date 06/01/2021

\*

Revision Number 3

Revision Date 06/01/2021

Trade name: Double Bubble Epoxy Non-Sag Part A (04008)

<ul> <li>Exposure controls</li> <li>Personal protective equipment (see listings below)</li> <li>General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.</li> <li>Breathing equipment: Not necessary if room is well-ventilated.</li> <li>Protection of hands:</li> <li>Wwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwww</li></ul>	(Contd. of page 3
<ul> <li>General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.</li> <li>Breathing equipment: Not necessary if room is well-ventilated.</li> <li>Protection of hands:</li> <li>Protective gloves</li> <li>Protective gloves</li> <li>The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.</li> <li>Material of gloves</li> <li>Nitrile rubber, NBR</li> <li>Chloroprene rubber, CR</li> <li>The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.</li> <li>Penetration time of glove material</li> <li>The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.</li> <li>Eye protection: Safety glasses with side shields.</li> <li>Body protection: Protective work clothing</li> </ul>	Exposure controls
<ul> <li>The usual precautionary measures for handling chemicals should be followed.</li> <li>Breathing equipment: Not necessary if room is well-ventilated.</li> <li>Protection of hands:</li> <li><i>Protection of hands:</i></li> <li><i>Protective gloves</i></li> <li>The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.</li> <li>Material of gloves</li> <li>Nitrile rubber, NBR</li> <li>Chloroprene rubber, CR</li> <li>The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.</li> <li>Penetration time of glove material</li> <li>The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.</li> <li>Eye protection: Safety glasses with side shields.</li> <li>Body protection: Protective work clothing</li> </ul>	Personal protective equipment (see listings below)
<ul> <li>Breathing equipment: Not necessary if room is well-ventilated.</li> <li>Protection of hands:</li> <li><i>Protection of hands:</i></li> <li><i>Protective gloves</i></li> <li>The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.</li> <li>Material of gloves Nitrile rubber, NBR Chloroprene rubber, CR The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Safety glasses with side shields. Body protection: Protective work clothing</li></ul>	
<ul> <li>Protection of hands:</li> <li><i>Protective gloves</i></li> <li>The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.</li> <li>Material of gloves Nitrile rubber, NBR Chloroprene rubber, CR The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Safety glasses with side shields. Body protection: Protective work clothing</li></ul>	
<ul> <li>Protective gloves</li> <li>The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.</li> <li>Material of gloves</li> <li>Nitrile rubber, NBR</li> <li>Chloroprene rubber, CR</li> <li>The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.</li> <li>Penetration time of glove material</li> <li>The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.</li> <li>Eye protection: Safety glasses with side shields.</li> <li>Body protection: Protective work clothing</li> </ul>	
<ul> <li>The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.</li> <li>Material of gloves Nitrile rubber, NBR Chloroprene rubber, CR The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Safety glasses with side shields. Body protection: Protective work clothing</li></ul>	Protection of hands:
<ul> <li>Material of gloves Nitrile rubber, NBR Chloroprene rubber, CR The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.</li> <li>Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.</li> <li>Eye protection: Safety glasses with side shields.</li> <li>Body protection: Protective work clothing</li> </ul>	Protective gloves
<ul> <li>Nitrile rubber, NBR</li> <li>Chloroprene rubber, CR</li> <li>The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.</li> <li>Penetration time of glove material</li> <li>The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.</li> <li>Eye protection: Safety glasses with side shields.</li> <li>Body protection: Protective work clothing</li> </ul>	The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
<ul> <li>Chloroprene rubber, CR</li> <li>The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.</li> <li>Penetration time of glove material</li> <li>The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.</li> <li>Eye protection: Safety glasses with side shields.</li> <li>Body protection: Protective work clothing</li> </ul>	
<ul> <li>The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.</li> <li>Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. Eye protection: Safety glasses with side shields. Body protection: Protective work clothing</li></ul>	
<ul> <li>varies from manufacturer to manufacturer.</li> <li>Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. </li> <li>Eye protection: Safety glasses with side shields.</li> <li>Body protection: Protective work clothing</li> </ul>	*
<ul> <li>Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.</li> <li>Eye protection: Safety glasses with side shields.</li> <li>Body protection: Protective work clothing</li> </ul>	
observed. • Eye protection: Safety glasses with side shields. • Body protection: Protective work clothing	
· Body protection: Protective work clothing	
	Eye protection: Safety glasses with side shields.
9 Physical and chemical properties	
9 Physical and chemical properties	
	Physical and chemical properties
· Information on basic physical and chemical properties	

· Information on basic physical	and chemical properties	
· General Information		
· Appearance:		
Form:	Liquid	
Color:	Clear	
· Odor:	Characteristic	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point:	Undetermined.	
<b>Boiling point:</b>	Undetermined	
· Flash point:	>150 °C (>302 °F)	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Flammable limits:		
Lower:	Not determined	
Upper:	Not determined	
· Vapor pressure:	Not determined.	
· Specific gravity at 20 °C (68 °I	F): 1.19 g/cm <sup>3</sup> (9.93055 lbs/gal)	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
	(Conto	l. on page 5

Printing Date 06/01/2021

Revision Number 3

Revision Date 06/01/2021

Trade name: Double Bubble Epoxy Non-Sag Part A (04008)

	(Contd. of p	bage 4
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	0%	
VOC (Per EPA 24)	2.96 GMS/L	
Solids content:	Not Available.	
• Other information	No further relevant information available.	

### **10 Stability and reactivity**

• *Reactivity* No further relevant information available.

#### · Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: Reacts with oxidizing agents.
- · Hazardous decomposition products:
- Carbon monoxide and carbon dioxide Aldehydes Acids

## **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- · Sensitization: Skin Contact May cause allergic skin reaction.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 6)

USA

Printing Date 06/01/2021

**Revision Number 3** 

Revision Date 06/01/2021

#### Trade name: Double Bubble Epoxy Non-Sag Part A (04008)

· Behavior in environmental systems:

· Bioaccumulative potential No further relevant information available.

• *Mobility in soil* No further relevant information available.

· Ecotoxical effects:

• Remark: Toxic for fish

• Additional ecological information:

• General notes: At present there are no ecotoxicological assessments.

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· **vPvB:** Not applicable.

• Other adverse effects No further relevant information available.

# **13 Disposal considerations**

· Waste treatment methods

· Recommendation: Comply with current regulations.

· Uncleaned packagings:

· Recommendation: Comply with current regulations.

### 14 Transport information

not regulated UN3082 not regulated ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
not regulated ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (Bisphenol A Epoxy Resin), MARINE POLLUTANT
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (Bisphenol A Epoxy Resin)
not regulated
9 Miscellaneous dangerous substances and articles
9
not regulated
III
Symbol (fish and tree)
Symbol (fish and tree)
Symbol (fish and tree)
-

(Contd. of page 5)

- I -

Printing Date 06/01/2021

Revision Number 3

Revision Date 06/01/2021

Trade name: Double Bubble Epoxy Non-Sag Part A (04008)

	(Contd. of page 6
· Special precautions for user	Warning: Miscellaneous dangerous substances and articles
· Hazard identification number (Kemler code	e): 90
· EMS Number:	F-A,S-F
· Stowage Category	Α
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	Product packaging conforms to 49 CFR 173.4 - Requirements for "Small Quantity Exceptions"
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (BISPHENOL A EPOXY RESIN), 9, III

### 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

*Please contact H.B. Fuller for more information regarding Proposition 65 on this product: reg.request@hbfuller.com*.

(DSL) Canada Dosmestic Substance List

All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

None of the ingredients listed.

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Royal Adhesives & Sealants makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Royal

(Contd. on page 8)

USA

Printing Date 06/01/2021

Revision Number 3

Revision Date 06/01/2021

# Trade name: Double Bubble Epoxy Non-Sag Part A (04008)

(Co Adhesives & Sealants or any affiliate thereof be responsible for damages of any nature whatsoever res the use or reliance on the information set forth in the SDS.	ontd. of page 7) sulting from
• Department issuing SDS: Global Regulatory Department.	
• Creation Date: 06/01/2021	
· Contact:	
• Date of preparation / last revision 06/01/2021 / 2	
· Abbreviations and acronyms:	
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concern	ung the
International Transport of Dangerous Goods by Rail)	
ICAO: International Civil Aviation Organisation	
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the	e International
Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINECS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A	
Skin Sens. 1: Skin sensitisation – Category 1	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
	USA